Application No. 10/618,555 Edgell R. Terry, Applicant

Page 6

**REMARKS**:

Applicant has carefully considered the Office Action mailed July 14, 2004.

Reconsideration of the application in view of this amendment in response thereto is respectfully

requested.

The drawings were objected to because cut 2-2 in Fig. 1 should have been shown as

longitudinal instead of transverse. Enclosed herewith is a replacement sheet of drawings showing

the correction to Fig. 1. Also enclosed herewith is a copy of the originally filed drawings showing

the changes thereto in red. Applicant urges that the corrected drawings add no new matter.

Claim 3 is rejected under 35 U.S.C. § 102(b) as being anticipated by U.S. Patent No.

5,876,021 to Spence et al. Claim 3 has been cancelled without prejudice or disclaimer.

It is noted with appreciation that claims 1 and 2 are allowed as originally submitted.

The Examiner is invited to contact the undersigned at the below-listed telephone number if

it is felt that the prosecution of this application may be expedited thereby.

Respectfully submitted,

EDGELL R. TERRY

Donald R. Schoonover, Reg. No. 34,924

4211 Rolling Hills Drive


Nixa, Missouri 65714-8771


Telephone (417)724-2188


Facsimile (417)724-2469

6









BEST AVAILABLE COPT